

Package ‘scPloidy’

October 14, 2022

Type Package

Title Infer Ploidy of Single Cells

Version 0.3.0

Description Compute ploidy of single cells (or nuclei)
based on single-cell (or single-nucleus)
ATAC-seq (Assay for Transposase-Accessible Chromatin using sequencing)
data <<https://github.com/fumi-github/scPloidy>>.

BugReports <https://github.com/fumi-github/scPloidy/issues>

Depends R (>= 3.5.0)

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.1

Imports dplyr, GenomicRanges, magrittr, matrixStats, mixtools, rlang,
Rsamtools, utils

Suggests IRanges, knitr, readr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

VignetteBuilder knitr

NeedsCompilation no

Author Fumihiko Takeuchi [aut, cre] (<<https://orcid.org/0000-0003-3185-5661>>)

Maintainer Fumihiko Takeuchi <fumihiko@takeuchi.name>

Repository CRAN

Date/Publication 2022-09-12 07:40:02 UTC

R topics documented:

fragmentoverlapcount	2
ploidy	3
SHR_m154211	3

Index	5
--------------	----------

fragmentoverlapcount *Count Overlap of ATAC-seq Fragments*

Description

Count Overlap of ATAC-seq Fragments

Usage

```
fragmentoverlapcount(
  file,
  targetregions,
  excluderegions = NULL,
  targetbarcodes = NULL,
  Tn5offset = c(1, 0)
)
```

Arguments

file	Filename of the file for ATAC-seq fragments. The file must be block gzipped (using the bgzip command) and accompanied with the index file (made using the tabix command). The uncompressed file must be a tab delimited file, where each row represents one fragment. The first four columns are chromosome name, start position, end position, and barcode (i.e., name) of the cell including the fragment. The remaining columns are ignored. See vignette for details.
targetregions	GRanges object for the regions where overlaps are counted. Usually all of the autosomes. If there is memory problem, split a chromosome into smaller chunks, for example by 10 Mb. The function loads each element of targetregions sequentially, and smaller elements require less memory.
excluderegions	GRanges object for the regions to be excluded. Simple repeats in the genome should be listed here, because repeats can cause false overlaps. A fragment is discarded if its 5' or 3' end is located in excluderegions. If NULL, fragments are not excluded by this criterion.
targetbarcodes	Character vector for the barcodes of cells to be analyzed, such as those passing quality control. If NULL, all barcodes in the input file are analyzed.
Tn5offset	Numeric vector of length two. The enzyme for ATAC-seq is a homodimer of Tn5. The transposition sites of two Tn5 proteins are 9 bp apart, and the (representative) site of accessibility is in between. If the start and end position of your input file is taken from BAM file, set the parameter to c(4, -5) to adjust the offset. Alternatively, values such as c(0, -9) could generate similar results; what matters the most is the difference between the two numbers. The fragments.tsv.gz file generated by 10x Cell Ranger already adjusts the shift but is recorded as a BED file. In this case, use c(1, 0) (default value). If unsure, set to "guess", in which case the program returns a guess.

Value

A tibble with each row corresponding to a cell. For each cell, its barcode, the total count of the fragments `nfrag`, and the count distinguished by overlap depth are given.

ploidy	<i>Infer Ploidy from ATAC-seq Fragment Overlap</i>
--------	--

Description

Infer Ploidy from ATAC-seq Fragment Overlap

Usage

```
ploidy(fragmentoverlap, levels, s = 100)
```

Arguments

fragmentoverlap	Frequency of fragment overlap in each cell computed by the function <code>fragmentoverlapcount</code> .
levels	Possible values of ploidy. For example, <code>c(2, 4)</code> if the cells can be diploids or tetraploids. The values must be larger than one.
s	Seed for random numbers used in EM algorithm.

Value

A data.frame with each row corresponding to a cell. For each cell, its barcode, ploidy inferred by moment method, the same with additional K-means clustering, and ploidy inferred by EM algorithm of mixture are given. I recommend using `ploidy.moment`.

SHR_m154211	<i>Liver Cells from a Rat</i>
-------------	-------------------------------

Description

The dataset includes 3572 nuclei obtained from the liver of a 16 weeks old male rat, which was fed normal diet. Overlapping of single-nucleus ATAC-seq fragments was computed with the `fragmentoverlapcount` function and saved as `fragmentoverlap`. The cell type of the nuclei are saved in the data.frame `cells`. The data for rat SHR_m154211 was taken from the publication cited below.

Usage

```
data(SHR_m154211)
```

Format

An object of class `list` of length 2.

Source

Takeuchi et al. (2022) bioRxiv [doi:10.1101/2022.07.12.499681](https://doi.org/10.1101/2022.07.12.499681)

Examples

```
data(SHR_m154211)
fragmentoverlap = SHR_m154211$fragmentoverlap
p = ploidy(fragmentoverlap, c(2, 4, 8))
head(p)
cells = SHR_m154211$cells
table(cells$celltype, p$ploidy.moment[match(cells$barcode, p$barcode)])
```

Index

* datasets

SHR_m154211, 3

fragmentoverlapcount, 2

ploidy, 3

SHR_m154211, 3